Association Between Anemia and Occurrence of H. Pylori Infection Among Pregnant Women

by Noor Salman Dalis


Submission date: 21-Aug-2024 02:03PM (UTC+0700)

Submission ID: 2435419683

File name: obat_vol_2_no._5_SEPTEMBER_2024_HAL_285-293.pdf (997.53K)

Word count: 3747

Character count: 20917



e-ISSN: 3031-0148, dan p-ISSN: 3031-013X, Hal. 285-293





DOI: https://doi.org/10.61132/obat.v2i5.656

Available online at: https://journal.arikesi.or.id/index.php/OBAT

Association Between Anemia and Occurrence of H. Pylori Infection Among Pregnant Women

Noor Salman Dalis 1

Physiology Department, Collage of Medicine, University of Tikrit, Iraq

Author correspondence: noor s@tu.edu.iq

Abstrol. Anemia throughout maternity describes a reduced focus of hemoglobin (Hb) in the blood particularly much less than 11 grams (gm)/ deciliter (dl) in venous blood. This problem influences a worrying 1.62 billion individuals globally with establishing nations dealing with a specifically high worry. In these areas anemia is a considerable factor to both mother's and also youngster morbidity and also death making up 20% of mother's fatalities. In addition it is approximated that virtually 50% of the international populace is contaminated with Helicobacter pylori (HP) a germs understood to create different health and wellness concerns. Remarkably the occurrence of HP infection amongst expectant ladies is greater in establishing nations contrasted to industrialized ones. Nonetheless the connection in between HP infection as well as the incident of anemia continues to be uncertain especially in Tikrit city. Consequently the goal of this research study was to check out the organization in between anemia as well as Helicobacter pylori infection amongst expecting ladies participating in Tikrit city.

Keywords: Helicobacter pylori; Vitamin B12; Iron deficiency anemia; pregnancy.

1. INTRODUCTION

According to the Globe Wellness Company, around 2 billion individuals worldwide, making up virtually a quarter of the international populace experience anemia. This common health concern not just has considerable social plus financial growth influences yet likewise results in many mother's as well as perinatal fatalities. It is approximated that anemia is in charge of over 115,000 mother's fatalities plus 591,000 perinatal fatalities each year. Backlash 42% of expectant females as well as 47% of young children are influenced by this problem.

Helicobacter pylori (H. pylori) infection is a worldwide issue with differing frequency prices throughout various nations. Establishing nations typically have greater numbers, reaching as much as 90% while created nations usually vary from 25% to 40%. H. pylori infection materializes not just with signs such as persisting stomach discomfort, anorexia nervosa as well as persisting throwing up however additionally adversely influences youngsters's development consisting of weight, elevation as well as the occurrence of iron shortage anemia.

Iron shortage anemia (IDA) has substantial effects on immune, intellectual and also reproductive features, along with job efficiency. Although the specific systems are not completely comprehended, the organization in between H. pylori infection and also IDA has actually generated substantial passion. Previous research studies have actually suggested that H.

pylori colonization of the stomach mucosa might prevent iron absorption plus rise iron loss possibly resulting in iron shortage anemia. It has actually been recommended that eliminating H. pylori might enhance anemia also without iron supplements. Furthermore the uptake of iron by the H. pylori microorganism might add to iron shortage connected with H. pylori infection, comparable to various other germs.

As a result recognizing the partnership in between H. pylori infection plus anemia is critical for reliable treatments coupled with administration approaches.

2. LITERATURE REVIEW

Iron deficiency anemia

Current research study has actually given significant proof for the organization in between H. pylori infection as well as unexplained iron shortage anemia (IDA) in both grown-up plus pediatric populaces. Quarter et alia carried out a detailed meta-analysis of 15 case-control researches, making use of numerous analysis techniques for H. pylori infection, such as endoscopy histological examination, serology as well as urea breath examination. The outcomes exposed a considerably boosted danger of IDA in individuals with H. pylori infection, with a probabilities proportion (OR) of 2.2 (95% self-confidence period [CI]: 1.5-- 3.2).

Furthermore, Yuan et alia performed a meta-analysis of 16 randomized controlled tests, including 956 clients, to evaluate the effect of H. pylori removal treatment on IDA. The medical diagnosis of H. pylori infection in these research studies was based upon fast urease examination, histology or urea breath examination. The research period varied from 1 to 3 months. The meta-analysis showed that anti-H. pylori therapy along with dental iron revealed statistically substantial enhancements in hemoglobin, product iron plus lotion ferritin degrees contrasted to dental iron alone.

H. pylori creates IDA with a number of devices. To start with, enhanced iron loss can take place because of problems such as hemorrhagic gastritis, abscess condition and also stomach adenocarcinoma. Second of all, the CagA healthy protein of H. pylori has actually been located to be associated with obtaining iron from interstitial holotransferrin. Furthermore, iron uptake by H. pylori is boosted throughout microbial development. Finally, H. pylori-related person gastritis might result in lowered acid secretion causing minimized iron absorption from the diet regimen.

Finally, many researches have actually consistently developed the organization in between H. pylori infection as well as IDA. International and also nationwide standards presently advise the elimination of H. pylori infection in clients with unexplained IDA.5

3. RESEARCH METHODS

A cross-sectional research was performed in Gynecological centers in Tikrit City from April first to January 2021. The research study consisted of forty expecting females identified with H. pylori infection. Throughout the research study, body weight plus elevation were determined utilizing a Fazzini evaluating and also elevation gauging tool, plus the body mass index (BMI) was computed by separating the body weight in kilos by the square of the body elevation in meters.

A 5ml blood example was accumulated from each individual after overnight fasting for outer blood examination. Hematological specifications such as hemoglobin (HB) plus jam-packed cell quantity (PCV) were determined month-to-month. In addition, an H. pylori package strip was utilized for medical diagnosis.

To collect extra info a structured survey kind was created coupled with developed for the research study adhering to conversations with professionals. The expectant females were talked to, and also basic info consisting of name, age, variety of births and also development analysis (body weight as well as elevation), was tape-recorded in the set of questions. Blood examinations such as HB and also PCV, were likewise consisted of, along with lotion examinations for H. pylori.

Blood sampling:

A total amount of 10 ml of venous blood was gathered from each expectant female. The blood collection treatment included utilizing non reusable needles as well as syringes, with a tourniquet used to make sure blood vessel exposure plus simpler blood circulation. The blood was attracted from the outer capillary.

After collection the blood was enabled to normally embolisms in ordinary tubes at area temperature level. As soon as clotting took place televisions were based on centrifugation at 3000 revoltions per minute for a period of thirty minutes. This procedure assisted in the splitting up of lotion from various other parts of blood.

The lotion which consisted of the target analytes, was very carefully aspirated plus split right into examples. These examples were after that moved right into plastic tubes as well as saved at a temperature level of -20 $^{\circ}$ C until the time of price quote. This made certain the conservation of the product for succeeding evaluation.

The dimension of hemoglobin (HB) plus jam-packed cell quantity (PCV) was accomplished making use of a totally automated tool called the "" Mindery Bc-20-- China Hematology Analyzer."" This tool supplied exact as well as effective evaluation of these hematological specifications.

Sample collection:

When it concerns gathering blood samplings it is normally advised to utilize venous blood. Nevertheless in severe situations arterial blood might likewise be made use of. The blood collection procedure includes making use of either vacuum cleaner or climatic collection tubes, relying on the particular demands.

To make sure precise outcomes it is crucial to load the collection tube with the precise amount of blood suggested on television itself. This technique assists to lessen variants in the outcomes acquired throughout evaluation. By following this standard medical care experts can make sure uniformity and also integrity in the lab screening procedure.

Measurement of H. Pylori:

The H. pylori Antigen Quick Examination Gadget (Poop/Blood) is a fast plus visually-based examination made to spot the existence of Helicobacter pylori antigen in human feces samplings. This set functions as a practical device in detecting H. pylori infection.

The examination tool utilizes certain antibodies that can identify as well as bind to the H. pylori antigen permitting its discovery in feces examples. The immunoassay supplies qualitative outcomes showing whether the antigen exists in the spec.

By utilizing this examination set, doctor can help in the medical diagnosis of H. pylori infection making it possible for punctual as well as targeted therapy for influenced people.

The fast nature of the examination enables effective plus prompt discovery, assisting in the administration of H. pylori-related problems.

Cat No. Format Specimen Read Time HP-AG-F11 Strip Serum/Plasma 10-20 min 10-20 min HP-AG-F23 Cas-Serum/Plasma sette HP-AB-W11 Strip 10-20 min Whole Blood/Serum/Plasma HP-AB-W23 Cas-10-20 min Whole Blood/Serum/Plasma

Table 1. H.Pylori AB Rabid test).

Procedure

To guarantee accurate as well as reputable outcomes it is very important to adhere to the guidelines for sampling collection and also pre-treatment when making use of the H. pylori Antigen Rapid Examination Gadget. Below are the suggested actions:

- 1) Use tidy as well as completely dry containers for example collection. It is advised to execute the assay within 6 hrs after gathering the example for ideal outcomes.
- 2) Carefully unscrew and also get rid of the dilution tube applicator, making sure not to splash or dash the option. Put the applicator stick right into a minimum of 3 various websites of the faces to accumulate roughly 50 mg of faces which

- amounts regarding 1/4 of a pea.
- 3) After accumulating the example, change the applicator back right into television coupled with screw the cap securely, making certain not to damage the idea of the dilution tube.
- 4) To make sure appropriate blending of the example with the removal barrier, strongly drink the example collection tube.

By adhering to these actions, you can prepare the gathered example for precise screening utilizing the H. pylori Antigen Rapid Test Device.

Statistical Analysis

Within this study all information were reported as a mean worth in addition to the equivalent conventional discrepancy (S.D). To contrast the ways of various variables an F-test was used. A p-value much less compared to 0.05 was thought about statistically substantial implying a purposeful distinction in between the teams being contrasted.

Furthermore, to analyze the toughness of the connection in between the determined criteria Pearson connection evaluation was carried out. The Pearson relationship coefficient (R-value) was determined to identify the level of organization in between the variables. This evaluation assists to determine any kind of substantial connections in between the determined specifications and also gives understandings right into their interrelationships.

4. RESULTS AND DISCUSSION

Results

Table 2. Parameters and their results

parameters	mini-	maximu	Std.devation	mean
	mum			
Age	22	40	5.57	28
H.pylori	8	32	0.380	10.9
hemoglobin	8.7	12.8	5.204	1

Regarding H. Pylori : there is a significant differences ($p \le 0.004$) in mean and stander deviation of H.Pylori value of pregnant as show in table (2).

N Mean StDev SE Mean H. pylori +VE 32 2.72 0.380 0.11 H. pylori -VE 8 0.0167 0.0098 0.0017

Regarding Hb: The evaluation of the information disclosed a substantial distinction $(p \le 0.002)$ in the mean as well as conventional inconsistency of the hemoglobin (Hb) worths amongst expecting people as illustrated in Table 2. This searching for recommends that there are significant variants in Hb degrees within the researched populace which might have rami-

fications for their general wellness and also health. The importance of this distinction highlights the significance of surveillance as well as handling Hb degrees while pregnant to make sure optimum mother's as well as fetal results.

Two-Sample T-Test and CI: Hb+VE, Hb -VE

N Mean StDev Hb +VE 37 324.0 10.9 Hb -VE 3 204.8 15.0

Discussion

The aim of this study was to investigate the association between H. pylori infection and anemia in pregnant women attending Tikrit women's clinics The findings revealed a significant association (95%) between anemia and H. pylori between bacterial infections. Pregnant women with H. pylori infection are more likely to develop anemia compared to pregnant women without H. pylori infection. These results are consistent with previous studies in Addis Ababa, Iran, India, and Turkey in which anemia was reported to be associated with H. pylori infection in pregnant women.

Similarly, in another study in nonpregnant patients with dyspepsia, anemia was associated with H. pylori infection. However, studies in children in Butajira and pregnant women in Sudan have found no association between anemia and H. pylori infection

This observation may be attributed to the mechanisms by which H. pylori affects iron metabolism. These mechanisms include decreased iron absorption due to chronic gastritis, decreased ascorbic acid levels in gastric juice, and H. pylori infection. Elevated hepcidin associated with pylori gastritis, iron uptake by H. pylori for growth, and iron depletion due to inhibition of gastric lactoferrin include mucus and competition between bacteria and hosts for iron a are given in food. Another possible explanation for this association could be chronic gastritis associated with H. pylori, resulting in decreased achlorhydria and ascorbic acid metabolism, and decreased intestinal iron absorption

These data shed light on the association between H. pylori infection and anemia in pregnant women, and emphasize the importance of considering H. pylori

5. CONCLUSION

In light of the findings, it is important to emphasize the importance of preventing anemia by early prevention and treatment of H. pylori infection and malnutrition in pregnant women Prompt measures such as extending the interval between pregnancies and family planning can reduce the risk of anemia in pregnancy

Efforts should be made to ensure that pregnant women are better informed about family planning methods and to increase their awareness of H. pylori infection and malnutrition and treatment This can be achieved through educational programs and comprehensive services if it provides accurate and accessible information.

By empowering pregnant women with this knowledge, they can make informed health decisions, with positive outcomes for themselves and their unborn children By focusing on detection and prevention, we can contribute to the well-being of all pregnant women and reduce anemia in pregnancy.

REFERENCES

- Abo-Amer, Y. E.-E., Sabal, A., Ahmed, R., Hasan, N. F. E., Refaie, R., Mostafa, S. M., Mohamed, A. A., Khalil, M., Elagawy, W., & Abd-Elsalam, S. (2020). Relationship between Helicobacter pylori infection and nonalcoholic fatty liver disease (NAFLD) in a developing country: A cross-sectional study. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(2), 619–625. https://doi.org/10.1016/j.dsx.2020.01.015
- Alam, J., Sarkar, A., Karmakar, B. C., Ganguly, M., Paul, S., & Mukhopadhyay, A. K. (2020). Novel virulence factor dupA of Helicobacter pylori as an important risk determinant for disease manifestation: An overview. World Journal of Gastroenterology, 26(34), 4739–4752. https://doi.org/10.3748/wjg.v26.i34.4739
- Algin, M. C., Gulcan, E., Bayhan, Z., & et al. (2015). Correlation of anemia and Helicobacter pylori infection among dyspeptic patients in Kutahya region. *Annals of Medicine and Medical Education*, 2(1), 1–5. https://doi.org/10.12973/ejms.2015
- Blaser, M. J., & Atherton, J. C. (2004). Helicobacter pylori persistence: Biology and disease. *Journal of Clinical Investigation*, 113(3), 321-333. https://doi.org/10.1172/JCI20700
- Boyanova, L. (2011). Role of Helicobacter pylori virulence factors for iron acquisition from gastric epithelial cells of the host and impact on bacterial colonization. *Future Microbiology*, 6(8), 843–846. https://doi.org/10.2217/fmb.11.72
- Cardaropoli, S., Rolfo, A., & Todros, T. (2014). Helicobacter pylori and pregnancy-related disorders. *World Journal of Gastroenterology*, 20(3), 654-664. https://doi.org/10.3748/wjg.v20.i3.654
- Ezzati, M., Lopez, A. D., Rodgers, A., & Murray, C. J. L. (Eds.). (2004). Comparative quantification of health risks: Global and regional burden of disease attributable to selected major risk factors. World Health Organization.
- Francesco, F., Tortora, A., Di, R. T., D'Angelo, G., & Gianluca, I. (2014). Role of Helicobacter pylori infection on nutrition and metabolism. *World Journal of Gastroenterology*, 20(34), 12809-12817. https://doi.org/10.3748/wjg.v20.i34.12809

- Kibru, D., Gelaw, B., Alemu, A., & Addis, Z. (2014). Helicobacter pylori infection and its association with anemia among adult dyspeptic patients attending Butajira hospital, Ethiopia. *BMC Infectious Diseases*, 14(1), 1–7. https://doi.org/10.1186/s12879-014-0676-4
- Kitila, K. T., Sori, L. M., Desalegn, D. M., & Tullu, K. D. (2018). Burden of Helicobacter pylori infections and associated risk factors among women of childbearing age in Addis Ababa, Ethiopia. *International Journal of Chronic Diseases*, 2018, 10. https://doi.org/10.1155/2018/7160815
- Malfertheiner, P., Megraud, F., O'Morain, C. A., & et al. (2012). Management of Helicobacter pylori infection—the Maastricht IV/Florence consensus report. *Gut*, 61(5), 646–664. https://doi.org/10.1136/gutjnl-2012-302084
- Malik, R., Guleria, K., Kaur, I., Sikka, M., & Radhakrishnan, G. (2011). Effect of Helicobacter pylori eradication therapy in iron deficiency anemia of pregnancy A pilot study. *Indian Journal of Medical Research*, 134(2), 224–231. https://doi.org/10.4103/0971-5916.90985
- Malik, R., Guleria, K., Kaur, I., Sikka, M., & Radhakrishnan, G. (2011). Effect of Helicobacter pylori eradication therapy in iron deficiency anemia of pregnancy—A pilot study. *The Indian Journal of Medical Research*, 134(2), 224–231. https://doi.org/10.4103/0971-5916.90985
- Monzon, H., Forn, M., & Esteve, M. (2013). Helicobacter pylori infection as a cause of iron deficiency anemia of unknown origin. *World Journal of Gastroenterology*, 19(31), 4166–4171. https://doi.org/10.3748/wjg.v19.i31.4166
- Mubarak, N., Gasim, G. I., Khalafalla, K. E., Naj, I. A., & Adam, I. (2014). Helicobacter pylori, anemia, iron deficiency, and thrombocytopenia among pregnant women at Khartoum, Sudan. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 108(6), 380–384. https://doi.org/10.1093/trstmh/tru075
- Muhsen, K., & Cohen, D. (2008). Helicobacter pylori infection and iron stores: A systemic review and meta-analysis. *Helicobacter*, 13(4), 323–340. https://doi.org/10.1111/j.1523-5378.2008.00619.x
- Ortiz, M., Rosado-Carrion, B., & Bredy, R. (2014). Role of Helicobacter pylori infection in Hispanic patients with anemia. *Bol Asoc Med P R*, 106(1), 13–18.
- Parashi, S., Bahasadri, S., & Alirezaiei, M. (2013). Assessing the association between iron deficiency anemia and H. pylori infection among pregnant women referring to a busy antenatal clinic in Tehran-Iran. *Shiraz E-Medical Journal*, *14*(3), 153–161. https://doi.org/10.5812/semj.11867
- Paredes-Osses, E., Sáez, K., Sanhueza, E., Hebel, S., González, C., Briceño, C., & García Cancino, A. (2017). Association between cagA, vacAi, and dupA genes of Helicobacter pylori and gastroduodenal pathologies in Chilean patients. *Folia Microbiologica*, 62(4), 437–444. https://doi.org/10.1007/s12223-017-0500-2

- Qu, X. H., Huang, X. L., Xiong, P., & et al. (2010). Does Helicobacter pylori infection play a role in iron deficiency anemia? A meta-analysis. *World Journal of Gastroenterology*, 16(7), 886–896. https://doi.org/10.3748/wjg.v16.i7.886
- Razak, A., & Ragab, M. S. (2014). Helicobacter pylori infections in children of a rural community. *Journal of Bacteriology & Parasitology*, 5(2), 1-4. https://doi.org/10.4172/2155-9597.1000171
- Reveiz, L., Gyte, G. M. L., & Cuervo, L. G. (2007). Treatments for iron-deficiency anemia in pregnancy. *Cochrane Database of Systematic Reviews*, 2007(4), CD003094. https://doi.org/10.1002/14651858.CD003094.pub2
- Sato, Y., Yoneyama, O., Azumaya, M., & et al. (2015). The relationship between iron deficiency in patients with Helicobacter pylori-infected nodular gastritis and the serum prohepcidin level. *Helicobacter*, 20(1), 11–18. https://doi.org/10.1111/hel.12154
- Sethi, A., Chaudhuri, M., Kelly, L., & Hopman, W. (2013). Prevalence of Helicobacter pylori in a First Nations population in Northwestern Ontario. *Canadian Family Physician*, 59(4), e182–e187.
- Shatla, M. M. (2016). Treatment of Helicobacter pylori-associated iron deficiency anemia: Does iron supplementation make a difference? *European Journal of Preventive Medicine*, 4(2), 50–55. https://doi.org/10.11648/j.ejpm.20160402.12
- Tadesse, E., Daka, D., Yemane, D., & Shimelis, T. (2014). Seroprevalence of Helicobacter pylori infection and its related risk factors in symptomatic patients in Southern Ethiopia. BMC Research Notes, 7(1), 834. https://doi.org/10.1186/1756-0500-7-834
- Tan, H. J., & Goh, K. L. (2012). Extragastrointestinal manifestations of Helicobacter pylori infection: Facts or myth? A critical review. *Journal of Digestive Diseases*, 13(7), 342–349. https://doi.org/10.1111/j.1751-2980.2012.00624.x
- Varbanova, M., Frauenschlager, K., & Malfertheiner, P. (2014). Chronic gastritis An update. *Best Practice & Research Clinical Gastroenterology*, 28(6), 1031–1042. https://doi.org/10.1016/j.bpg.2014.09.004
- Weatherall, D., & Hatton, C. (2010). Anaemia: Pathophysiology, classification, and clinical features. In *Oxford textbook of medicine*. Oxford University Press.
- World Health Organization. (2008). Worldwide prevalence of anemia 1993–2005: WHO global database on anemia. World Health Organization.
- Yuan, W., Li, Y., Yang, K., & et al. (2010). Iron deficiency anemia in Helicobacter pylori infection: Meta-analysis of randomized controlled trials. Scandinavian Journal of Gastroenterology, 45(6), 665–676. https://doi.org/10.3109/00365521.2010.485409
- Zeng, J., Liu, H., Liu, X., & Ding, C. (2015). The relationship between Helicobacter pylori infection and open-angle glaucoma: A meta-analysis. *Investigative Ophthalmology & Visual Science*, 56(11), 5238–5245. https://doi.org/10.1167/iovs.15-17564

Association Between Anemia and Occurrence of H. Pylori Infection Among Pregnant Women

ORIGINA	ALITY REPORT			
1 SIMILA	6% ARITY INDEX	11% INTERNET SOURCES	12% PUBLICATIONS	3% STUDENT PAPERS
PRIMAR	Y SOURCES			
1	journal.a	arikesi.or.id		3%
2	www.hir	ndawi.com ^{:e}		2%
3	jbiomed Internet Source	sci.biomedcentr	ral.com	2%
4	Helicoba Publication	acter pylori, 201	6.	2%
5	WWW.ec	ronicon.com		1 %
6	Submitte Student Paper	ed to Tikrit Univ	ersity	1 %
7	Pereira, Raguza, pylori ar Adolesco	ves Araf, Carlos Rodrigo Strehl Elisabete Kawa nd Iron-deficiend ents in Brazil", Jo nterology and N	Machado, Dan kami. "Helicob cy Anemia in ournal of Pedia	niele %

8	Sandström, Göran, Stig Rödjer, Bertil Kaijser, and Mats Börjesson. "Helicobacter pylori Antibodies and Iron Deficiency in Female Adolescents", PLoS ONE, 2014. Publication	1 %
9	Helicobactor pylori, 2003. Publication	<1%
10	Fayez Shaldoum. "Anemia related to infection with Helicobacter pylori and intestinal parasites in the investigated subjects in Egypt", International Journal of Development, 2016 Publication	<1%
11	www.frontiersin.org Internet Source	<1%
12	ijpho.ssu.ac.ir Internet Source	<1%
13	Hyelnaya Cletus Sharndama, Ifeanyi Elibe Mba. "Helicobacter pylori: an up-to-date overview on the virulence and pathogenesis mechanisms", Brazilian Journal of Microbiology, 2022 Publication	<1%
14	Rocco Spagnuolo, Giuseppe Guido Maria Scarlata, Maria Rosaria Paravati, Ludovico	<1%

Abenavoli, Francesco Luzza. "Change in

Diagnosis of Helicobacter pylori Infection in the Treatment-Failure Era", Antibiotics, 2024

Publication

15	www.elsevier.es Internet Source	<1%
16	d.docksci.com Internet Source	<1%
17	Francesco Franceschi, Marcello Covino, Claire Roubaud Baudron. "Review: and extragastric diseases", Helicobacter, 2019	<1%
18	Kumera Terfa Kitila, Lemi Mosisa Sori, Daniel Melese Desalegn, Kassu Desta Tullu. "Burden of Infections and Associated Risk Factors among Women of Child Bearing Age in Addis Ababa, Ethiopia ", International Journal of Chronic Diseases, 2018 Publication	<1%
19	"Helicobacter pylori in Human Diseases", Springer Science and Business Media LLC, 2019 Publication	<1%
20	Helicobacter pylori Research, 2016. Publication	<1%

Exclude quotes On Exclude matches Off

Exclude bibliography On